


Failed Herd Health Programs, Dead cows, fractures and buzzards

Clifford F. Shipley, DVM, DACT
Emeritus Associate Clinical Professor
University of Illinois

- Vaccine Programs = word salad
- Treatment (hint...penicillin is not Baytril)
- Preventative practices (coccidiostats, etc.)
- Biosecurity
- Nutrition
- Labor
- Facilities
- "cowboy"



- Steep learning curve
- Adapt
- Try new things
- Try again
- Cuss and try again




### Pros and Cons of Health Program: Veterinary Standpoint


- Pro
  - Preventive medicine
  - Cheaper than treatment
  - Healthier animals
  - Welfare concerns
  - Feed
  - Handling



5




- Respiratory
- Enteric
  - E. coli
  - Salmonella
  - Cryptosporidiosis
  - Coccidiosis
  - Rota virus
  - Corona virus
- Mastitis
- Umbilical/navel ill
- Hairballs!
- Hairy heel warts
- · Johne's Disease
- Bovine Lymphosarcoma Virus



# Vaccination Program a MUST

- Classic vaccination program
  - IBR
  - -BVD
  - PI3
  - -BRSV
  - 7 way Clostridial
  - Lepto/Vibrio
  - Brucellosis







Additional

Mycoplasma bovis
J-5/Core antigen
E. coli
Salmonella

Heifer considerations

Vaccinate 2X
Poor quality colostrum
Less colostrum





## Prebreeding vaccinations

- IBR
- BVD
- BRSV
- PI3
- Leptospirosis
- Vibrio

The easiest way to eat crow is while it's still warm.
The colder it gets, the harder it is to swaller.



13

## Vaccination Considerations

- Modified Live Virus
- Killed Virus
- Intranasal
- Temperature Sensitive Virus
- Chemically altered for virulence
- Strains of BVD

#### Newborn Calf

- Colostrum!!!!
- Navel treatment
- Vit E
- Se
- Vit A &D
- IBR
- BVD
- BRSV



15

- Metaphylactic antibiotics +/-
- C & D antitoxin
- E. coli antibodies
- Rota/corona vaccine
- Hyperimmune serum

### Preweaning Vaccinations

- IBR
- BVD
- BRSV
- PI3
- +/- lepto 5/6 way
- Mannheimia hemolytica
- Mycoplasma bovis
- 7 way Clostridium
- +/- Pasteurella multocida & H. somni
- Vaccine should be approved for use with pregnant cows\*\*\*

17

## Weaning Vaccinations

- Booster all pre-weaning vaccines
- For early weaned calves

- Repeat/booster all pre-weaning vaccines @ 4-6

months of age



## Biosecurity

- Don't buy something you don't have!!!!
  - Trichimoniasis
  - -BVD
  - Test
    - · Johne's
    - BLV
    - Anaplasmosis
    - Brucellosis
    - Trich
    - BVD



19

# Why we fail

- Communication
- Hobby
- Not a business
- Walking weed eater
- Veterinarians seen as "expense"
- Internet/Dr. Google
- Not cattlemen/cowboys (cattlewomen/cowgirls)

